

DSW-100 SERIES

Professional weighing scale, can accurately handle the retail field of work.

The DSW-100 series is a professional weighing scale. The DSW-100 series was developed by a team of professional engineers and designers.

A variety of Settings to choose products to ensure the needs of different groups of people on the scale. The interface content is simple and easy to understand for customers to use.

Back Display

6-digit LCD with 14 indicators
lb/oz/kg/g switchable



304 Stainless Steel Pan



Mechanical buttons

lb/oz/g/kg/pcs units

Capa

DSW-100

DSW-100D



Power Switch



Interfaces

1 USB Port
1 RS232 COM



Battery Tank

Four Feet

DSW-100 Power


Battery D type R20P size 1.5 V x 4 EA
or DC 9 V / 300 mA

DSW-100 SERIES

Feature

- 3kg, 6kg, 15kg, 30kg, 6lb, 15lb, 30lb, 60lb
-Single Range
- 3/6kg, 6/15kg, 15/30kg, 6lb/15lb, 15/30lb, 30/60lb
-Double Range
- **USB & RS-232C supports data transfer and storage**
- 6-digit LCD with 14 indicators
- Power: Battery D type R20P size 1.5 V x 4 EA or DC 9 V / 300 mA
- Alkaline Battery: with backlight : 50hrs, without backlight : 1000hrs
- Weighing only 1.5kg. Light and portable.
- 304 stainless steel pan.
- The communication protocol is RS-232C.
- Operating temperature: -10°C ~ 40°C

Dimensions



Options

- Customer(Rear) Display
- RS-232C Interface

Specification

Model	DSW-100, DSW-100D, DSW-100RS
Weighing range	3kg, 6kg, 15kg, 30kg, 6lb, 15lb, 30lb, 60lb
	3/6kg, 6/15kg, 15/30kg, 6lb/15lb, 15/30lb, 30/60lb
Button	[ON/OFF][REZERO][UNIT/ ←][TARE/ ↑]
Status Indicator	ZERO/STABLE/NET/S1/S2/S3
Operating temperature	-10°C ~ 40°C
Working humidity	85%RH (no condensation)
Ddisplay	6-digit LCD with 14 indicators
Unit of weight	g/kg/lb/oz/pcs
Power supply	4 R20P SIZE D 1.5V dry batteries
	External AC adapter DC 5~12V / 0.5A
Optional	Customer(Rear) Display / RS-232C Interface
Protocol	RS-232C
Product weight	1.5kg
Weighing pan size	9.06in/230mm(L) X 7.72in/196mm(W)
Product size	9.06in/230mm(L) X 11.22in/285mm(W) X 4.41in/112mm



Distributed by

Add:No. 788 Songxiu Road, Qingpu Industrial Park,
Shanghai 201703 P.R. China
Tel: 86-21-59757333 Fax:86-21-69758587

SHANGHAI DIGITAL BALANCE ELECTRONIC CO., LTD.

Ver.1.0

12.2024